



DECLARATION OF PERFORMANCE

In accordance with Annex III of Regulation (EU) 305/2011 (Construction Product Regulation) amended by Commission Delegated Regulation (EU) No. 574/2014 as it has effect in the United Kingdom.

No. BAL-039

1. Unique identification code of the product-type: **BAL Quickset Cement**
2. Intended use: **Cementitious screed material for use internally and externally.**
3. Manufacturer: **Building Adhesives Limited,
Newstead Industrial Estate,
Longton Road,
Trentham,
Stoke on Trent,
Staffordshire,
ST4 8JB**
4. Authorised representative: **Not applicable**
5. System or systems of AVCP: **System 4**
- 6a. Harmonised standard: **EN 13813:2002**

Building Adhesives Limited performed the determination of the product type on the basis of type testing of the product and factory production control testing under attestation system 4.

Reaction to fire performance has been declared in accordance with the Commission Decision of 4th October 1996 establishing the list of products belonging to Classes A 'no contribution to fire' provided for in Decision 94/611/EC implementing Article 20 of Council Directive 89/106/EEC on construction products.

- 6b. European Assessment Document: **Not applicable**

7. Declared performance

Essential characteristics	Performance	Harmonised technical specification
Reaction to fire	Class A1 _{fl}	EN 13813:2002
Release of corrosive substances	CT	
Water permeability	NPD	
Water vapour permeability	NPD	
Mechanical resistance Compressive strength Flexural strength Wear resistance	≥ 40 Nmm ⁻² ≥ 7 Nmm ⁻² NPD	
Sound insulation	NPD	
Sound absorption	NPD	
Thermal resistance	NPD	
Chemical resistance	NPD	

8. The performance of the product identified above is in conformity with the set of declared performance/s.
This declaration of performance is issued, in accordance with Regulation (EU) 305/2011, as it has effect in the United Kingdom in respect of Great Britain under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by: David Longwell – Head of R+D



Stoke on Trent 17/11/22

UK CA	
Building Adhesives Limited, Longton Road, Trentham, Stoke on Trent, ST4 8JB www.building-adhesives.com 22	
BAL 039 EN 13813:2002 CT-C40-F7 BAL Quickset Cement Cementitious screed material for use internally and externally	
Reaction to fire:	Class A1 _{fl}
Release of corrosive substances:	CT
Compressive strength:	C40
Flexural strength:	F7